Contents

Editorial

Editorial		OSSE observations of the radio-quiet quasar PG 1416-129 Staubert R., Maisack M.	L41
New Editor-in-Chief Maeder A., Hearn A.G.	E1	Is 2RE J0357+283 the most coronally active star in the Galaxy?	
Letters to the Editor		Jeffries R.D., Burleigh M.R., Robb R.M. Instability of beam driven return currents in the deep chro-	L45
Dust formation in stellar photospheres: a case of very low mass stars and a possible resolution on the effective temper-		Instability of beam-driven return currents in the deep chromosphere of solar flares Matthews S.A., Brown J.C., Melrose D.B.	L49
ature scale of M dwarfs Tsuji T., Ohnaka K., Aoki W. Water emission at 183 GHz from HH 7–11 and other low-	L1	On the high energy non-thermal emission from shell-type supernova remnants Mastichiadis A.	L53
mass star-forming regions Cernicharo J., Bachiller R., González-Alfonso E.	L5	Interferometric molecular line observations of the circumstellar envelope(s) around U Camelopardalis	200
J 03.13 A and B: a new multiply imaged QSO candidate Claeskens JF., Surdej J., Remy M.	L9	Lindqvist M., Lucas R., Olofsson H., Omont A., Eriksson K., Gustafsson B.	L57
Absolute tip-tilt determination with laser beacons Ragazzoni R.	L13	Are aspherical AGB shells due to aspherical central stars? Groenewegen M.A.T.	L61
Confirmation of the 12-year optical outburst cycle in blazar OJ 287		Cosmology	
Sillanpää A., Takalo L.O., Pursimo T., Lehto H.J., Nilsson K., Teerikorpi P., Heinämäki P., Kidger M., de Diego J.A., González-Pérez J.N.,		On improved Cepheid distance estimators Kanbur S.M., Hendry M.A.	1
Rodríguez-Espinosa JM., Mahoney T., Boltwood P., Dultzin-Hacyan D., Benitez E., Turner G.W., Robertson J.W., Honeycut R.K., Efimov Y.S., Shakhovskoy N., Charles P.A., Schramm K.J.,		The large scale structure of the soft X-ray background. I. Clusters of galaxies Soltan A.M., Hasinger G., Egger R., Snowden S., Trümper J.	17
Borgeest U., Linde J.V., Weneit W., Kühl D., Schramm T., Sadun A., Grashuis R., Heidt J., Wagner S., Bock H., Kümmel M., Heines A., Fiorucci M., Tosti G.,		Possible signature of the Baryon Symmetric Universe in the diffuse radiation and lifetime of antiprotons Stephens S.A., Finetti N.	367
Ghisellini G., Raiteri C.M., Villata M., De Francesco G., Bosio S., Latini G.	L17	Primordial molecules in the early cloud formation <i>Puy D.</i> , <i>Signore M.</i>	371
On [NeV] atomic parameters and physical conditions in NGC 6302		Symmetries of general relativistic Liouville's equation for de Sitter's spacetime	
Oliva E., Pasquali A., Reconditi M.	L21	Dehghani M.H., Rezania V.	379
H1 line search for the nearby galaxies MB 1 and MB 2 Huchtmeier W.K., van Driel W.	L25	Cluster lens reconstruction using only observed local data: an improved finite-field inversion technique	
Observed constraints for radii of Wolf-Rayet stars in very close binaries. A challenge for the "standard model" of WR stars		Seitz S., Schneider P.	383
Moffat A.E.J., Marchenko S.V.	L29	Extragalactic astronomy	
Spectral darkening functions of solar <i>p</i> -modes – an effective tool for helioseismology	L33	The Local Group in comparison with other nearby groups of galaxies Karachentsev I.	33
Zhugzhda Y.D., Staude J., Bartling G. A possible solution for the [Ne III] problem in H II regions Sellmaier F.H., Yamamoto T., Pauldrach A.W.A.,	LJJ	Statistics of optical intraday variability in a complete sample of radio-selected BL Lacertae objects	
Rubin R.H.	L37	Heidt J., Wagner S.J.	42

Soft X-ray properties of narrow-line Seyfert 1 galaxies Boller T., Brandt W.N., Fink H.	53	The thick disc of the Galaxy: sequel of a merging event Robin A.C., Haywood M., Crézé M., Ojha D.K., Bienaymé O.	125
ROSAT observations of three edge-on spiral galaxies Vogler A., Pietsch W., Kahabka P.	74	вещуне О.	12.
The light curve and the time delay of QSO 0957+561 Pelt J., Kayser R., Refsdal S., Schramm T.	97	Stellar clusters and associations	
The nature of the two nuclei in the young merger NGC 3256: an obscured AGN? Kotilainen J.K., Moorwood A.F.M., Ward M.J., Forbes		The young star cluster R 64 in the OB association LH 9 resolved with ground-based CCD observations	
D.A. Free-free absorption towards the nucleus of NGC 253: further	107	Bauer T., Weghorn H., Grebel E.K., Bomans D.J. X-ray and γ-ray emission in open clusters	135
evidence for high pressures in the starburst nucleus *Carilli C.L.* The balance of control for the starburst starburst in the starburst starburst in the starburst starburst in the starburst starburst in the starburst starburst starburst in the starburst	402	Manchanda R.K., Polcaro V.F., Norci L., Giovannelli F., Brinkmann W., Radecke H.D., Manteiga M., Persi P., Rossi C.	457
Turbulent mixing and excitation of density fluctuations in the intracluster medium Deiss B.M., Just A.	407	The X-ray properties of the young open cluster around α Persei	10,
Molecular distribution and kinematics in nearby galaxies. I. NGC 253		Randich S., Schmitt J.H.M.M., Prosser C.F., Stauffer J.R.	785
Mauersberger R., Henkel C., Wielebinski R., Wiklind T., Reuter HP.	421	Soft X-rays from the intermediate-age open cluster NGC 752 Belloni T., Verbunt F.	806
A study of the core of the Shapley concentration. II. ROSAT observation of A 3558 Bardelli S., Zucca E., Malizia A., Zamorani G.,		Benon 1., verbun 1.	000
Scaramella R., Vettolani G.	435	Formation structure and evalution of store	
WSRT detection of H1 absorption in the $z = 3.4$ damped Ly α system in PKS 0201+113	4.50	Formation, structure and evolution of stars Dynamos in pre-main sequence stars: some effects of a relic	
de Bruyn A.G., O'Dea C.P., Baum S.A. The X-ray sky around 3C 273	450	field Moss D.	140
Pflüger B., Otterbein K., Staubert R.	699	Cross-correlation radial velocity measurements of chromos-	
OB associations in nearby galaxies <i>Ivanov G.R.</i>	708	pherically active binaries Gunn A.G., Hall J.C., Lockwood G.W., Doyle J.G.	146
(RN) Faint Object Camera observations of a complex nuclear structure in PKS 2158–380		Gamma-ray and particle illumination in compact binaries Hameury JM.	468
Boyce P.J., Disney M.J., Macchetto F., Boksenberg A., Blades J.C., Mackay C.D.	715	(RN) On the nature of AFGL 2477 Groenewegen M.A.T., Oudmaijer R.D., Goudfrooij P.,	
General statistics and principal component analysis of multi- wavelength properties of Seyfert galaxies <i>Dultzin-Hacyan D., Ruano C.</i>	719	van den Hoek L.B., van Kerkwijk M.H. The enigmatic flarings of HR 2517 Sterken C., Manfroid J.	475
The nuclear high excitation outflow cone in NGC 1365. A kinematic model		Can we measure the rotation rate inside stars? Goupil MJ., Dziembowski W.A., Goode P.R., Michel	
Hjelm M., Lindblad P.O. N-body simulations of ring galaxies. Kinematical properties	727	E. Rotational periods and starspot activity of young solar-type	487
Curic A., Filippi R. Molecular line CO $(2\rightarrow 1)$ observations of ultraluminous	740	dwarfs in the open cluster IC 4665 Allain S., Bouvier J., Prosser C., Marschall L.A.,	
IRAS galaxies Rigopoulou D., Lawrence A., White G.J.,		Laaksonen B.D. X-ray and optical observations of a new ROSAT-discovered	498
Rowan-Robinson M., Church S.E.	747	polar: RX J0453.4-4213	
The accuracy of mass determination in galaxy clusters by X-ray observations Schindler S.	756	Burwitz V., Reinsch K., Schwope A.D., Beuermann K., Thomas HC., Greiner J.	507
The dark halo of polar-ring galaxy NGC 4650a: flattened towards the polar ring?		Mixing by internal waves. II. Li and Be depletion rate in low mass main sequence Montalbán J., Schatzman E.	513
Combes F., Arnaboldi M.	763	Stars approaching the substellar limit in the $\boldsymbol{\alpha}$ Persei open	
Nuclear disks of gas and dust in Fanaroff–Riley type I radio host galaxies: 3C 402N and NGC 7052 de Juan L., Colina L., Golombek D.	776	Cluster Zapatero Osorio M.R., Rebolo R., Martín E.L., García López R.J.	519
and any community of	, , ,	Plateau de Bure observations of HL Tauri: outflow motions in	
Galactic structure and dynamics		a remnant circumstellar envelope Cabrit S., Guilloteau S., André P., Bertout C.,	
The role of supernovae for the galactic dynamo. I. The full		Montmerle T., Schuster K.	52
alpha-tensor for uncorrelated explosions Ziegler U., Yorke H.W., Kaisig M.	114	Spot modelling for binaries with two active components Kövári Z., Oláh K.	81

An X-ray outburst from the radio emitting X-ray binary LSI +61°303 Taylor A.R., Young G., Peracaula M., Kenny H.T., Gregory P.C.	817	Long-term spectroscopic monitoring of BA-type supergiants. I. Ha line-profile variability Kaufer A., Stahl O., Wolf B., Gäng T., Gummersbach C.A., Kovács J., Mandel H., Szeifert T.	907
OB-runaways as a result of massive star evolution van Rensbergen W., Vanbeveren D., de Loore C.	825	Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. IV. Gallium	887
The optical content of the error box of GRS 1915+105 Boër M., Greiner J., Motch C.	835	Smith K.C. Carbon, nitrogen and oxygen abundances in yellow super-	902
Hot tori around black holes as sources of gamma-ray bursts Jaroszyński M.	839	giants Barbuy B., De Medeiros J.R., Maeder A.	911
Mass loss from red giant stars in M 67: Is there any evidence for a metallicity dependence? Carraro G., Girardi L., Bressan A., Chiosi C.	849		
New molecular opacities and effective temperature of RGB	0.5		
stellar models Salaris M., Cassisi S.	858	Diffuse matter in space (including H II regions and planetary nebulae)	
(RN) Optical activity of HDE 249119 Štěpán P., Hudec R.	869	Coronal X-ray emission of cool stars in relation to chromos-	
The maximum mass of a neutron star		pheric activity and magnetic cycles Hempelmann A., Schmitt J.H.M.M., Stepien K.	284
Bombaci I.	871	Evidence for ongoing star formation in the Carina nebula Megeath S.T., Cox P., Bronfman L., Roelfsema P.R.	296
		Soft X-ray observations of the Galactic halo and the interstellar medium	***
Stellar atmospheres		Sidher S.D., Sumner T.J., Quenby J.J., Gambhir M. Millimeter observations of ¹² CO and ¹³ CO in the diffuse region	308
A metal deficient early B-type star near the edge of the galactic disk	164	Around ζ Ophiuchi Kopp M., Gerin M., Roueff E., Le Bourlot J.	558
Smartt S.J., Dufton P.L., Rolleston W.R.J. O-star mass-loss and wind momentum rates in the Galaxy and	164	Molecular outflows and star formation in the HL Tauri stellar group	
the Magellanic Clouds. Observations and theoretical predictions		Monin JL., Pudritz R.E., Lazareff B.	572
Puls J., Kudritzki RP., Herrero A., Pauldrach A.W.A., Haser S.M., Lennon D.J., Gabler R., Voels		The excitation of molecular hydrogen in HH 1 and in HH 7 to 11	502
S.A., Vilchez J.M., Wachter S., Feldmeier A. Observation and modelling of main sequence star chromos-	171	Gredel R. The Cygnus X region. XX. 21 cm H1 absorption against	582
pheres. V. Ultraviolet excess emission in active M dwarfs Houdebine E.R., Mathioudakis M., Doyle J.G., Foing		DR 7 Wendker H.J., Wrigge M.	592
В.Н.	209	Electrical properties of the gas within molecular clouds Bel N., Leroy B.	598
The dynamical evolution of circumstellar gas around massive stars. I. The impact of the time sequence O star \rightarrow LBV \rightarrow WR star		Photodestruction of PAHs in the interstellar medium. I. Photodissociation rates for the loss of an acetylenic group	0,0
García-Segura G., Mac Low MM., Langer N.	229	Allain T., Leach S., Sedlmayr E.	602
Empirical study of departures from the excitation equilibrium of Fe I in metal-poor stars Magain P., Zhao G.	245	Photodestruction of PAHs in the interstellar medium. II. Influence of the states of ionization and hydrogenation Allain T., Leach S., Sedlmayr E.	616
Spherically symmetric model atmospheres using approximate lambda operators. II. Simple method for calculation of both plane-parallel and spherically symmetric static model atmo-		Erratum: Near-infrared imaging in H ₂ of molecular (CO) outflows from young stars Davis C.J., Eislöffel J.	694
spheres Kubát J.	255	The ratio $N(CO)/E(J-K)$ in local molecular clouds Harjunpää P., Mattila K.	920
Siphon flows in coronal loops of rapidly-rotating stars Ferreira J.M., Jardine M.	265	A bipolar-outflow object in the field of M 36 Magnier E.A., Waters L.B.F.M., Kuan YJ., Chu	920
Statistical equilibrium and photospheric abundance of nitrogen in the Sun and in Vega		YH., Taylor A.R., Matthews H.E., Martin E.L. Comparative study of a [WC 6] nucleus with other emission-	936
Rentzsch-Holm I. An infrared spectral analysis of two Cygnus WNE stars	275	line nuclei of planetary nebulae Acker A., Górny S.K., Cuisinier F.	944
Crowther P.A., Smith L.J.	541	A chemical survey of molecules in ,spiral arm' clouds	
The chemical composition of the s-Cepheids. II Andrievsky S.M., Kovtyukh V.V., Usenko I.A.	551	Greaves J.S., Nyman LA. Interstellar sulfur isotopes and stellar oxygen burning	950
Observing and modelling envelopes of post-AGB stars Gürtler J., Kömpe C., Henning T.	878	Chin YN., Henkel C., Whiteoak J.B., Langer N., Churchwell E.B.	960

Shaposhnikov V.E., Zaitsev V.V.

A coherent nonlinear theory of auroral Langmuir-Alfvén-The Sun whistler (LAW) events in the planetary magnetosphere Numerical modelling of spectral line asymmetries in photos-Lopes S.R., Chian A.C.-L. 669 pheric structures. I. Quiet Sun G-mode analysis of the reflection spectra of 84 asteroids 316 Márquez I., Bonet J.A., Vázquez M., Wöhl H. 984 Birlan M., Barucci M.A., Fulchignoni M. The solar iron abundance: not the last word Kostik R.I., Shchukina N.G., Rutten R.J. 325 Dynamics of solar magnetic arches in the photosphere and the Celestial mechanics and astrometry chromosphere Mein P., Démoulin P., Mein N., Engvold O., New reductions of the Astrographic Catalogue, Conventional 343 Molowny-Horas R., Heinzel P., Gontikakis C. plate adjustment of the Cape Zone Urban S.E., Corbin T.E. 989 On constructing seismic models of the Sun Basu S., Thompson M.J. 631 Stochastic force in gravitational systems Del Popolo A. 999 On the energy source of the solar Ha filament disappearance Korobova Z.B., Mogilevsky E.I., Shilova N.S. 643 Physical and chemical processes Formation of coronal loops with temperatures between 105 and 106 K On the stability of rotating self-gravitating polytropic discs 649 Brown S.F. with a poloidal magnetic field Spectral line radiation from solar small-scale magnetic flux 359 Schneider M. tubes Analytical expressions for the lines of one-electron ions Kneer F., Hasan S.S., Kalkofen W. 660 Stehlé C. 677 Very long baseline interferometry of solar microwave radia-The formation of vibrationally excited hydrogen molecules on carbon surfaces Benz A.O., Graham D., Isliker H., Andersson C., Gough S., Schermann C., Pichou F., Landau M., Köhnlein W., Mantovani F., Umana G. 970 Čadež I., Hall R.I. 687 Resonant absorption of MHD surface waves in an arcade with Single and multi-event canonical r-process: astrophysics and a continuous boundary nuclear physics considerations Čadež V.M., Ballester J.L. 977 Bouquelle V., Cerf N., Arnould M., Tachibana T., 1005 Goriely S. The solar system On the origin of the narrow-band splitting at the Joyian decametric cutoff frequency 695 Preview of accepted papers (November 1995)

352

